

POSTER SESSIONS

24–26 October | Lisboa Congress Centre, Portugal



LISBON ADDICTIONS

2017

SECOND EUROPEAN CONFERENCE ON ADDICTIVE BEHAVIOURS AND DEPENDENCIES

www.lisbonaddictions.eu | #LxAddictions17 |  | 

DAY 1 TUESDAY 24 OCTOBER

11:30 – 13:00 POSTER SESSIONS

POSTER SESSION 1 Reducing risks	POSTER SESSION 2 Clinical tools
<ul style="list-style-type: none">– Analysis and sociodemographic characterization of drug users in the context of harm reduction intervention in the north region of Portugal. <i>Isabel Ponte, Portugal</i>– Last party polysubstance use profiles: consequences and settings for use. <i>Oscar Lozano-Rojas, Spain</i>– Risk to heroin users of poly-drug use of pregabalin or gabapentin. <i>Graeme Henderson, United Kingdom</i>– Severity and management of drug interactions in the pharmacological management of alcohol use disorders. <i>Lanfranco Pellesi, Italy</i>– Alcohol misuse among low-threshold harm reduction clients: an action-research group for alcohol risks. <i>Ximene Rego, Portugal</i>– Consequences of alcohol use in work-related settings: results from a survey among Norwegian employees. <i>Inger Synnøve Moan, Norway</i>– Benzodiazepine abuse in the elderly. <i>Duarte Pinheiro, Portugal</i>– Factors associated with the severity of cocaine dependence (smoked and snorted) among outpatients in a Brazilian sample. <i>Sandra Cristina Pillon, Brazil</i>– Health behaviors and addiction severity among users of cocaine and crack in a Brazilian sample. <i>Sandra Cristina Pillon, Brazil</i>– Vilnius primary school children wellbeing at school and their perception of health. <i>Olga Ubartienė, Lithuania</i>– Harm reduction by changing environment - considerations and evaluation of the implementation of safernightlife label in a nightlife district in Lisbon. <i>Cristiana Vale Pires, Portugal</i>	<ul style="list-style-type: none">– Brief multimedia intervention (BMI) video for reducing hazardous and harmful consumption. <i>Tereza Barroso, Portugal</i>– Game addiction scale: translation and adaptation among Portuguese adolescents. <i>Tereza Barroso, Portugal</i>– Motor learning alterations in chronic cannabis users. <i>Laia Miquel, Spain</i>– Compulsive sexual behaviour treatment, current state analysis: case report. <i>Haifa Zalila, Tunisia</i>– Sex differences in early withdrawal syndrome of patients with alcohol use disorder. Cohort study in the Spanish network on addictive disorders. <i>Roberto Muga, Spain</i>– Severity of dependence scale: diagnostic cut-off for pharmaceutical opioid dependence. <i>Raimondo Bruno, Australia</i>– How to identify food addiction. <i>Duarte Pinheiro, Portugal</i>– The effect of group therapy on abstinence of people addicted to alcohol and people addicted to gambling. <i>Jana Bolkova, Czech Republic</i>– Predicting early treatment termination (drop-out) from neuropsychological functions in abstinent substance use dependent (SUD) patients. <i>Arne Holen, Norway</i>– Psychopathological profile of drug users undergoing treatment in a residential detoxification. <i>Sónia Esteves, Portugal</i>– Therapeutic processes in dialectical behavior therapy skills training for alcohol use disorder treatment: motivation for change and coping skills. <i>Marco Cavicchioli, Italy</i>– Alcohol use disorders identification test (audit) and mortality risk in US Veterans and international population: a systematic review and meta-analysis. <i>Sören Kuitunen-Paul, Germany</i>– A portrait of the fellowship of alcoholics anonymous in Portugal. <i>Mário Marques, Portugal</i>

- Nicotine abuse and parental influence: are there sex differences? *Sonila Bitri, Albania*
- Co-occurrence of psychiatric diseases in patients with cannabis use disorders. *Sonila Bitri, Albania*

- Contingency management for abstinence versus contingency management for shaping cessation among treatment-seeking patients from the general population. *Alba González-Roz, Spain*
- Buprenorphine for mood stability in dually diagnosed patients. *Hassan Dinakar, United States*
- Motivations, cognitive distortions and impulsivity in a sample of male gamblers. *Isabelle Varescon, France*
- Investigating the synergistic effects of aerobic exercise and rTMS on brain network plasticity and cognitive function. *Joshua Hendrikse, Australia*
- Feasibility and effectiveness of a SBIRT program for hazardous drinkers in an emergency department: a randomized controlled trial. *Pol Bruguera, Spain*
- Prevalence and therapy of methamphetamine dependence ("crystal"). *Stefanie Neumann, Germany*

13:15 – 14:15 POSTER SESSIONS

POSTER SESSION 3 Specific target populations	POSTER SESSION 4 Understanding health consequences
<ul style="list-style-type: none"> – Contingency management for drug use in treatment for opiate addiction: a systematic review and meta-analysis. <i>Tom Ainscogh, United Kingdom</i> – Who are the abstainers? Results from the 2017 Portuguese general population survey. <i>Clara Vital, Portugal</i> – Characterization of underage patients with alcohol and substance-related intoxications admitted to an emergency department in metropolitan Barcelona. <i>Roberto Muga, Spain</i> – Is dose per joint a reliable cannabis use metric? Investigating cannabis and tobacco in joints and if they are influenced by acute drug administration. <i>Chandni Hindocha, United Kingdom</i> – Screening for continued substance use among subjects on buprenorphine maintenance treatment: a cross-sectional study. <i>Suresh Thapaliya, Nepal</i> – Motives to use alcohol among Portuguese adolescents. <i>Cátia Branquinho, Portugal</i> – Behavioral determinants of risky alcohol use initiation in at-risk adolescents. <i>Paula Dias, Portugal</i> – Which answers to the consumption of cannabis in adolescence. CAPPYC a possible strategy. <i>Elsa Fé, Portugal</i> – ADHD and HCV prevalence in a standardized investigation in Austrian prisons in opioid maintained subjects and imprisoned adolescents. <i>Marisa Silbernagl, Austria</i> – Life situation of older patients in opioid maintenance treatment. <i>Sverre Martin Nesvåg and Zhanna Gaulen, Norway</i> 	<ul style="list-style-type: none"> – Synthetic cannabinoids use and increase of cannabis hyperemesis syndromes: is there a link? <i>Reynald Le Boisselier, France</i> – An observational study of the severity of respiratory depression in chronic opioid dependence. <i>Basak Tas, United Kingdom</i> – Monitoring deaths related to drug use and mortality among drug users in Europe: the drug-related deaths indicator (DRD). <i>Isabelle Giraudon, EMCDDA</i> – Monitoring infectious diseases among drug users: the drug-related infectious diseases indicator (DRID). <i>Isabelle Giraudon, EMCDDA</i> – Sex addiction, pathological gambling and impulsiveness traits in among drug users in a Brazilian context. <i>Sandra Cristina Pillon, Brazil</i> – Cocaine consumption in non injectable users: interface with users' quality of life. <i>Sandra Cristina Pillon, Brazil</i> – Mortality among high risk drug users diagnosed with opioid-, stimulant- or polydrug disorders: a Norwegian registry follow-up study of the total cohort starting treatment in 2009-10. <i>Anne-Karine Markeng Melsom, Norway</i> – Self-management education for women with drug addiction. <i>Kathrine Nilsen, Norway</i> – Health literacy of employees of children educational institutions. <i>Olga Ubartienė, Lithuania</i> – Benzodiazepine abuse and dependence among patients with severe mental illness. <i>Joana</i>

- Characteristics of current and potential attenders of drug consumption rooms among people who inject drugs (PWID) from the COSINUS cohort study – evaluation of harm reduction policy in France. *Marie Jauffret-Roustide, France*
- Alcohol misuse risk factors among youth. *Mirjam Tüür, Estonia*
- Cannabis use and schizophrenia: clinical and therapeutic impact of comorbidity. *Emira Khelifa, Tunisia*
- The effects of co-administration of mephedrone and nicotine or MDMA on anxiety-, depression- and memory-related behaviors in mice. *Grazyna Biala, Poland*
- Investigating the nature and severity of depressive experiences in adults who self-medicate low mood with alcohol. *Rachel Mc Hugh, United Kingdom*
- Ayahuasca: patterns of use, mental health of users and subjective effects in a large international sample. *Will Lawn, United Kingdom*

- Isaac, Portugal*
- Preliminary results and publication impact of a dedicated addiction clinician scientist research fellowship. *Jan Klimas, Ireland*
- A systematic review of interventions which address both tobacco and cannabis use. *Hannah Walsh, United Kingdom*
- Payers and patient segmentation. *Mark Gilman, United Kingdom*

14:30 – 16:00 POSTER SESSIONS

POSTER SESSION 5 Prevention: theory and practice	POSTER SESSION 6 Constructing addictions: theories, methodology and measurement
<ul style="list-style-type: none"> – A systematic review of internet addiction prevention interventions. <i>Roman Gabrhelik, Czech Republic</i> – Eastern Porto school survey project on tobacco, alcohol and cannabis. <i>Ana Tavares, Portugal</i> – Lifestyle and psychosocial factors in risk consumption of cannabis. <i>Cátia Coutinho, Portugal</i> – The utilization of a creative strategy in the prevention of the use of psychoactive substances with children and adolescents. <i>Jorge Jaber Filho, Brazil</i> – Prevention program for children and adolescents at the age of 8-15 years old who grow up in a problematic family environment. <i>Maria Prodromou, Cyprus</i> – Differences in gambling motives by gambling severity and activities in adolescents. <i>Aris Grande-Gosende, Spain</i> – Alcohol quiz: truth or dare?! Interactive game to develop knowledge about alcohol among adolescents. <i>Tereza Barroso, Portugal</i> – Internet and gambling among students of Porto eastern zone. <i>Anabela Monteiro, Portugal</i> – Riscos & Desafios Program: process evaluation. <i>Carla Rocha, Portugal</i> – Prevention in higher education context: the Riscos & Desafios Program. <i>Carla Rocha and Gizela Cardoso, Portugal and Elisardo Becoña, Spain</i> – Conception, implementation and evaluation of a model promoting the prevention of risk behaviours, associated to the consumption of psychoactive substances, among young people. <i>Paula Costa, Portugal</i> 	<ul style="list-style-type: none"> – Polydrug users’ consumption profiles and their relationship with dsm-5 personality facets. <i>Oscar Lozano-Rojas, Spain</i> – The gaming disorder symptoms: DSM-5 vs. ICD 11. <i>Seung-Yup Lee, South Korea</i> – Craving in the diagnoses of alcohol use disorder. <i>Emeline Chauchard, France</i> – Estimating high-risk opioid use in Europe within the PDU indicator. <i>Thomas Seyler, EMCDDA</i> – Pedagogical and legal activities conduct in Poland for people addicted to alcohol. <i>Joanna Rajewska de Mezer, Poland</i> – Spirituality behind the bars: meditation as a treatment of drug addiction in a correctional setting. <i>Felice Alfonso Nava, Italy</i> – Psychopathological profile of gamblers on treatment. <i>Juan Lamas, Spain</i> – Understanding gambling addiction. An analysis of the discourses produced by psychologists, psychiatrists and general practitioners. <i>Tiziana Marinaci, Italy</i> – Physical activity and sports practice associated with substance use by adolescents. <i>Sandra Reynolds Rebolo, Portugal</i> – Personality profiles in substance use disorders: do they differ on clinical symptomatology, personality disorders and coping? <i>Els Santens, Belgium</i> – Stigmatizing attitudes among healthcare professionals in the Middle East: a randomized study of medical students’ attitudes toward persons with alcohol and tobacco use disorders.

- Salman Alzayani, Bahrain*
- Drugs in combat: uses and meanings of psychoactive substances in the Portuguese colonial war. *Vasco Calado, Portugal*
 - Adaptation and psychometric properties of the marijuana effect expectancy questionnaire (MEEQ) in Peruvian adolescents. *Fiorella Otiniano, Peru*
 - Pathological gambling and impulsivity: comparison of the different. *Pinhas Dannon, Israel*
 - Marijuana consumption in Lima teenagers: the role of expectations and other risk factors. *Silvana Romero, Peru*

16:30 – 18:00 POSTER SESSIONS

POSTER SESSION 7 Demographic challenges	POSTER SESSION 8 Research: ethics, methods and practice
<ul style="list-style-type: none"> – State and trait anxiety and depression, evaluation of the time perspectives of opiate addicts who are on a substitution methadone and buprenorphine therapy. <i>Karlo Karher, Serbia</i> – Violent situations in a psychosocial attention center for alcohol and other drugs. <i>Fernanda Silveira de Souza, Brazil</i> – Investigating drug users seeking treatment through economic restrains in Grece: a 10 year longitudinal study. <i>Gerasimos Papanastasatos, Greece</i> – The opioid dependence in the elderly - the new old age. <i>Carlos Vasconcelos, Portugal</i> – Development of Hepfriend; a Dublin community hepatitis C peer support model for PWID's. <i>John Lambert, Ireland</i> – Tobacco use disorders in Albanian population. <i>Sonila Bitri, Albania</i> – Addicted somewhere, addicted everywhere. <i>Haifa Zalila, Tunisia</i> – Family economic circumstances in childhood and substance use in adolescence. <i>Jens Christoffer Skogen, Norway</i> – Consumption in recreational contexts: young people´s inquiries in a youth festival - "Vila" (Lousada). <i>Jorge Barbosa, Portugal</i> 	<ul style="list-style-type: none"> – Bibliometric benchmarking on substance abuse among European Union vs. United States (2008-2012). <i>Rafael Alexandre-Benavent, Spain</i> – The 100 most cited European Union papers in substance abuse journals. <i>Rafael Alexandre-Benavent, Spain</i> – Prevalence and patterns of drug use in the general population in indicator ("GPS"). <i>João Matias, EMCDDA</i> – The effect of the modes of response on the structure of a social representation: the example of the representations on attitudes towards risk behaviours. <i>Claudia Urbano, Portugal</i> – First national study on problematic drug users in Albania 2015. Size estimates and patterns of drug abuse. <i>Alban Ylli, Albania</i>

11:00 – 12:30 POSTER SESSIONS

POSTER SESSION 9 New methods and analyses	POSTER SESSION 10 Impact of new technologies	POSTER SESSION 11 Dynamics and change
<ul style="list-style-type: none"> – Alternative to coercive measures for drug-related minor offences: the principle of proportionate sentencing in effective policies. <i>Gerasimos Papanastasatos, Greece</i> – Registration of treatment demands for substance use disorders in Belgium: what are the factors linked with the utilisation of the client’s national register number? <i>Jérôme Antoine, Belgium</i> – Investigating possible causal associations of tobacco and cannabis use with mental health: a Mendelian randomisation analysis. <i>Meg Fluharty, United Kingdom</i> – Self-administration of cocaine and methamphetamine in <i>Drosophila melanogaster</i>. <i>Ana Filosevic, Croatia</i> – Innovative methods for exploring new drug-related trends and threats: the EMCDDA Trendspotter methodology. <i>Manuel Jesús Ruiz Muñoz, Spain</i> – Searching across diagnostic silos: phenotyping compulsive behaviours via online crowdsourcing. <i>Rico Lee, Australia</i> – Testing a festival’s wastewater. <i>Lisa Benaglia, Switzerland</i> – Methamphetamine, venlafaxine and tramadol – potential threat to aquatic environment. <i>Paula Brandeburová, Slovakia</i> – Gamification: the future of cognitive testing? <i>Rico Lee, Australia</i> 	<ul style="list-style-type: none"> – Is problematic internet use associated with loneliness, relationship status, and family functioning? A study in Portuguese adolescents and young adults. <i>Ivone Patrão, Portugal</i> – The relationship between smartphone addiction and personality characteristics in a Portuguese sample. <i>Ivone Patrão, Portugal</i> – Gambling behaviour on mobile devices in Switzerland. <i>Raoul Bitar, Switzerland</i> – Family life appropriated by the virtual space. Sharenting as a new form of internet addiction. <i>Joanna Sikorska, Poland</i> – Internet pornography: an addiction disorder without substance. <i>Hugo Afonso, Portugal</i> – Long-term safety, tolerability and effectiveness of weekly and monthly buprenorphine depot (CAM2038) for opioid use disorder. <i>Adrian Dunlop, Australia</i> – Internet gaming disorder symptom severity predicts dysfunctional decision-making. <i>Anja Kräplin, Germany</i> – Relationship of smartphone use severity, sleep quality and depression in university students. <i>Emira Khelifa, Tunisia</i> 	<ul style="list-style-type: none"> – Two intensity patterns of drug use within the Portuguese population – cross national and longitudinal analysis. <i>Casimiro Balsa, Portugal</i> – Changes over time (1995-2015), across Europe, in global substance use patterns, among teenagers, and its relations with perceptions of availability, risk and parental attitudes toward substance use. <i>Fernanda Feijão, Portugal</i> – The influence of progesterone in cigarette smoking and possible uses in nicotine addiction. <i>Guadalupe Marinho, Portugal</i> – Prevalence and psychosocial predictors of performance enhancing substances use in physical activity settings: a systematic review. <i>Ana Tavares, Portugal</i> – Women’s psychotropic trajectories: life events and drug use patterns. <i>Ximene Rego, Portugal</i> – Trends in drug and alcohol treatment in prison from 2009 to 2014 in Ireland. <i>Aoife Cannon, Ireland</i>

12:45 – 14:15 POSTER SESSIONS

POSTER SESSION 12 Policy and programme evaluation	POSTER SESSION 13 Multiple voices
<ul style="list-style-type: none"> – Evaluation of a non-smoking program in psychiatric clinic. <i>Jorge Jaber Filho, Brazil</i> – Cost-benefit analysis of medication assisted treatment and needle-syringe programs in Georgia. <i>Irma Kirtadze, Georgia</i> – Drug policy impact assessment for change. <i>Daria Matyushina, Lithuania</i> 	<ul style="list-style-type: none"> – Patient participation in guideline development: the Dutch experience. <i>Elske Wits, Netherlands</i> – ‘vi(r)agem’. <i>Natércia Rodrigues, Portugal</i> – Suit model & methodology of peer led empowerment. <i>Sunny Dhadley, United Kingdom</i> – Only variety (complexity) can respond to variety (complexity) - W. Ross Ashby. <i>Ilinka</i>

- Deployment of the needle exchange program (NEP) in primary care centres and pharmacies: the experience and future proposal of public health agency of Catalonia (ASPCAT) in Girona. *Fran Calvo, Spain*
- “It’s only weed”: changing community attitudes and developing inter-agency responses to young people’s cannabis use within a socially excluded community. *Karl O’Brien, Ireland*
- HCV management among European physicians prescribing opioid agonist therapy: self-reported competency and barriers from the C-SCOPE study. *Marta Torrens, Spain*
- Treatment of drug users in Czech prisons: a right time for systematic evaluation? *Petr Zeman, Czech Republic*
- The cost-effectiveness of interventions to improve case finding and engagement with HCV treatment for people who inject drugs in the UK. *Zoe Ward, United Kingdom*
- Municipal intervention program in the area of addictive behaviours and dependencies for the city of Lisbon (PMICAD LX). *Paula Rodrigues, Portugal*
- Benzodiazepine maintenance in opiate substitution treatment: good or bad? *Adam Bakker, United Kingdom*

- *Serdarevic, Croatia*
- When recovery meets desistance. *Charlotte Colman, Belgium*
- Young recreational consumers: preventive and risk management practices when using psychoactive substances (PS). *Mara Silva, Portugal*
- No one gets left behind: addressing the hidden burden of hepatitis C related advanced liver disease in PWID in the community. *John Lambert, Ireland*
- Reaching patients with antisocial personality in SUD treatment *Birgitte Thylstrup, Denmark*
- Mapping storytelling method in addiction research: a systematic revision. *Isabel Herrera-Sánchez, Spain*
- “Just listen”- women’s experiences of substance use, domestic abuse and support. *Sarah Fox, United Kingdom*

14:30 – 16:00 POSTER SESSIONS

POSTER SESSION 14 Drug-related crime and the illicit market	POSTER SESSION 15 Responding to diversity	POSTER SESSION 16 Integrating care models and partnerships	POSTER SESSION 17 Methods for monitoring
<ul style="list-style-type: none"> – Dialectical-based group therapy and sexuality of people with substance use disorders on methadone maintenance therapy: a clinical trial. <i>Effat Merghati Khoei, Iran</i> – Cannabis and crime: findings from longitudinal register data. <i>Solveig Christiansen, Norway</i> – Recidivism in drug-related crimes in Sweden 1993-2013. <i>Johan Ahlner, Sweden</i> – Example of alert and reporting system of scopolamine poisoning among Parisian cocaine users at regional, national and European levels. <i>Cécile Chevallier, France</i> – The use of alternatives to prison for drug offenders in Belgium. <i>Els Plettinckx, Belgium</i> 	<ul style="list-style-type: none"> – Gender-sensitive treatment and prevention services for alcohol and drug users: does gender influence substance abuse and treatment trajectories? <i>Sarah Simonis, Belgium</i> – What works in the treatment of women with alcohol-use problems? Systematic review of evidence-based studies. <i>Eva Hoch, Germany</i> – Quality of life and its determinants in HIV-positive and HIV-negative drug users in the north and central regions of Portugal, 2009 and 2010. <i>Valéria Arantes, Portugal</i> – Gender differences in HIV prevalence and risk behavior among people who inject drugs in Kohtla-Järve, Estonia. <i>Maris Salekesin, Estonia</i> 	<ul style="list-style-type: none"> – Facilitators and barriers in seeking treatment for substance use disorders among India’s patients: findings from a mixed-method survey research focusing on India’s clinical treatment professionals. <i>Sebastian Perumbilly, United States</i> – People with severe schizophrenia and substance abuse: clinical and functional outcomes after prolonged, integrated treatment. <i>Juan Fernandez-Miranda, Spain</i> – Severe mentally ill drug abusers undergoing integrated, case-managed treatment: outcomes after six years. <i>Juan Fernandez-Miranda, Spain</i> – Alcohol use related problems in primary 	<ul style="list-style-type: none"> – Wastewater-based epidemiology - novel means to assess nationwide drug abuse? <i>Aino Kankaanpää, Finland</i> – Drug analysis of residual content of used syringes: a new monitoring approach of injecting users consumption. <i>Elodie Lefrançois, Switzerland</i> – Symptomatic contamination in dual pathology, network structure of the Sym_Con sample. <i>Francisco Javier Pino Calderon, Spain</i> – Predicting the prevalence of cannabis use for the next decades: a baseline scenario for evaluating effects of changes in cannabis legislation. <i>Marc Vogel, Switzerland</i>

<ul style="list-style-type: none"> – Drug use among Peruvian young offenders: an evaluative research from a developmental approach. <i>Hugo Morales, Portugal</i> – Agency, social relationships and desistance of offenders with drug history in the Singapore context. <i>April Lin Liangyu, Singapore</i> – Incarcerated Syrians and drug-related offences: the situation in Lebanon. <i>Joanna Imad, Lebanon</i> – Protective and criminogenic risk factors in drug use among Peruvian young offenders: a qualitative study from a developmental perspective. <i>Hugo Morales Córdova, Peru</i> 	<ul style="list-style-type: none"> – Migration, drug use and harm reduction: an exploratory case study of Nepalese people who use drugs living in Lisbon, Portugal. <i>Ricardo Fuertes, Portugal</i> – Pregnant women’s perceptions of information about alcohol use during pregnancy: a qualitative study. <i>Kerstin Hoffmeister, Portugal</i> – Gender differences on heavy episodic drinking among southern European youth and young adults: drinking patterns, risky and protective behaviours, consequences and effects. <i>Cristiana Vale Pires, Portugal</i> – Patterns of injecting and non-injecting drug use by sexual orientation in people who inject drugs in England, Wales and Northern Ireland, 2013-2016. <i>Ellen Heinsbroek, United Kingdom</i> 	<ul style="list-style-type: none"> health care: attitudes and experiences of Czech general practitioners. <i>Ladislav Csémy, Czech Republic</i> – The need to create new innovative payment methods for addictions and behavioral health. <i>João Augusto, Portugal</i> 	
---	---	---	--

11:00 – 12:30 POSTER SESSIONS

POSTER SESSION 18 New developments in new psychoactive substances	POSTER SESSION 19 Understanding and regulating drug markets	POSTER SESSION 20 E-health
<ul style="list-style-type: none"> – Typology of new psychoactive substance use among illicit drug consumers in the Australian general population. <i>Rachel Sutherland, Australia</i> – Are orexins the miracle solution for alcohol use disorders? <i>Guadalupe Marinho, Portugal</i> – Chemsex and health behavior among men who have sex with men in Germany. Results from a multicenter qualitative study. <i>Daniel Deimel, Germany</i> – Composition of party drugs in Belgium: not what you would expect. <i>Els Plettinckx, Belgium</i> – Effect of a legislative ban of synthetic cannabinoids on the UK market: an overview based on mass spectrometric identification of these compounds in ‘spice’. <i>Lubertus Bijlsma, Spain</i> – A new conceptual approach for synthetic cannabinoid drug testing. <i>Lubertus Bijlsma, Spain</i> – Discourses about new psychoactive substances on generalist and specialist forums. <i>Franca Beccaria, Italy</i> – “Charlie” (buphedrone/ethcathinone) behavioural patterns after stimulated binge administration. <i>Sofia Sola, Portugal</i> 	<ul style="list-style-type: none"> – The future of drug supply monitoring in Europe. <i>Teodora Groshkova, EMCDDA</i> – Synthesis of 4-methoxymethamphetamine hydrochloride and its precursors from unrestricted chemicals and organic impurity profiles examined. <i>Ronald Shimmon, Australia</i> – Evolution and trend of narcotic substances, cocaine, heroin and cannabis in northern Portugal. <i>Ana Alves, Portugal</i> – Buprenorphine, a non-therapeutic use! <i>Haifa Zalila, Tunisia</i> – Drug situation in central Asia and its impact on Europe. <i>Ingo Ilja Michels, Germany</i> 	<ul style="list-style-type: none"> – Expanding access to buprenorphine treatment in rural areas with the use of telemedicine. <i>Eric Weintraub, United States</i> – Evaluative conditioning: a brief computer-delivered intervention to reduce college student drinking. <i>Nina Tello, France</i>

12:45 – 14:15 POSTER SESSIONS

POSTER SESSION 21 Lessons for clinical practice	POSTER SESSION 22 Public health policies
<ul style="list-style-type: none"> – The benefits of physical activities in patients with dual diagnosis. <i>Jorge Jaber Filho, Brazil</i> – Pregabalin abuse among intravenous drug users in south western Finland. A time-trend study 2008-2011-2014. <i>Solja Niemelä, Finland</i> – Alcohol use, alcoholism and sleep disturbance. <i>Joana Isaac, Portugal</i> – Pharmacological treatment of gambling disorders: a review. <i>Jochen Mutschler, Switzerland</i> 	<ul style="list-style-type: none"> – The Portuguese decriminalization model and the intervention on dissuasion of the Commission of Dissuasion of Drug Addiction of Porto. <i>Carla Lopes, Portugal</i> – The Portuguese service network of addictive behaviors and dependencies: contributions to the Brazilian model. <i>Clayton dos Santos, Brazil</i> – The Reitox development framework: new perspectives for the network. <i>Sandrine Sleiman,</i>

- Pharmacokinetics and clinical effects of THC and CBD taken orally as an herbal tea or oily solution in patients with chronic neuropathic pain. *Lanfranco Pellesi, Italy*
- Do arts therapies reduce substance misuse? A systematic review. *Karen Megrnahan, United Kingdom*
- Evaluation of the inpatient Minnesota program at Lisbon alcoholology unit – a comparison study between patients' and practitioners' perspectives. *Mara Jorge, Portugal*
- Satisfaction and perceptions of treatment with injectable diacetylmorphine and hydromorphone for long-term opioid dependence. *Kirsten Marchand, Canada*
- How to deal with patients whose problem is over sex? *Guadalupe Marinho, Portugal*
- Practitioners' experiences of working with dual users of heroin and crack in community drug services. A thematic analysis. *Felicia Heidebrecht, United Kingdom*
- Predictors of heroin abstinence in opiate substitution therapy in heroin-only users and dual users of heroin and crack. *Felicia Heidebrecht, United Kingdom*
- Dual diagnosis and treatment: the experience of a multiprofessional team in mental health. *Jorge Jaber Filho, Brazil*
- Anabolic-androgenic steroid use in substance use disorder treatment. *Marie Jørstad, Norway*
- Reconsidering examining cannabis subtypes together due to opposing effects on brain, cognition and behavior. *Kristine Rømer Thomsen, Denmark*
- Characterization of night care beds in a psychosocial care center for alcohol and other drug treatment. *Gabriella Boska, Brazil*
- A review of the factors affecting the development and outcome of the treatment of psychotropic substances addiction. *Katerina Flora, Cyprus*
- Understanding the characteristics and drinking profile of patients with alcohol use disorders presenting at hospital. *Sophia Chambers, United Kingdom*
- Testing the S-O-S initiative: randomized trial of community-based naloxone coverage with sequential roll-out. *Rebecca McDonald, United Kingdom*
- Substance misuse and risk factors among school adolescents. *Vera Lucia Mediondo Osinaga, Brazil*
- Alcohol consumption and health promotion among nursing staff in a Brazilian sample. *Vera Lucia Mediondo Osinaga, Brazil*
- Heavy drinking and consequences among polydrug users under treatment in a Brazilian context. *Vera Lucia Mediondo Osinaga, Brazil*

EMCDDA

- Monitoring demand for drug treatment in Europe: the treatment demand indicator (TDI). *Linda Montanari, EMCDDA*
- Sexual desire and intercourse frequency: comparing smokers and non-smokers. *Rui Costa, Portugal*
- How to inform policy- and decision-makers about evidence-based alcohol/tobacco policy. *Matej Koši and Sanela Talić, Slovenia*
- Predicting frequent alcohol admissions to hospital using routinely collected hospital data in south London. *Ros Blackwood, United Kingdom*
- Effect of tobacco cessation policies in the consumption of anti-smoking medicines in Portugal. *Ana Araújo, Portugal*
- Recommendations based on a pilot survey of experts in drug treatment service commissioning: current readiness to address hepatitis C in people with opioid use disorders in England. *Mark Gilman, United Kingdom*
- Portuguese commissions for the dissuasion of drug addiction: perspectives of indicted drug users on their role in drug use. *Ludmila Carapinha, Portugal*
- Cap Vila Roja primary care health centre is the first most active centre of the needle exchange program centres of Catalonia. *Fran Calvo, Spain*

14:30 – 16:00 POSTER SESSIONS

POSTER SESSION 23

Developments in basic research

- Impairing inhibitory control increases ad libitum alcohol consumption - a transcranial magnetic stimulation study. *Adam McNeill, United Kingdom*
- Oxycodone-induced tolerance to respiratory depression: reversal by ethanol and PKC inhibition. *Rob Hill, United Kingdom*
- Characterisation of tolerance development to rewarding effects of opioids. *Sarah Barrett, United Kingdom*
- A buprenorphine/naloxone sublingual tablet (Zubsolv®) for opioid substitution therapy: relative bioavailability and pharmaceutical properties compared with Suboxone® tablet. *Gill Munda, United Kingdom*
- Brain activity of porn addict adolescents and faking good in pornography self-report questionnaire. *Rizki Edmi Edison, Indonesia*
- Influence of c. 118A>G OPRM1 and p.Val158Met comt polymorphism in drug addicts - a pilot study. *Carolina Ribeiro, Portugal*
- Chronic cocaine use modifies network activity in the nucleus accumbens in vivo. *Catarina Luís, Germany*
- Methylphenidate evokes heart and kidney toxicity in adolescent rats exposed one-week to relevant oral doses. *João Paulo Capela, Portugal*
- In vitro nephrotoxicity of synthetic cannabinoids. *João Pedro Silva, Portugal*
- Attenuating the reinforcing properties of cocaine with cannabidiol: a role for adult hippocampal neurogenesis. *Miguel Luján, Spain*

POSTER SESSION 24

Education and training in addictions

- Comprehensive education in addiction science: case study of the addictology university study programme in the Czech Republic. *Amalie Pavlovská, Czech Republic*
- Mainstream movies as a medium to teach diagnostic criteria for substance use disorders: an exploratory study. *Daniele Zullino, Switzerland*
- Employability of healthcare addiction specialists in the Czech Republic from the point of view of graduates of the academic programmes in addictology and possible employers. *Amalie Pavlovská, Czech Republic*
- Creation and work from an addiction online magazine. *Mireia Pascual, Spain*
- A survey of the English substance misuse workforce: training preferences, digital literacy and work experience. *Robert Calder, United Kingdom*
- How to communicate from a press office in a scientific society. *Mireia Pascual, Spain*
- A new platform for exchange: professionalization, best practice and 'knowledge share' in substance use prevention and treatment. *Livia Edegger, United Kingdom*

ORGANISERS



INTERNATIONAL ORGANISATIONS



COLLABORATIVE PARTNERS



SUPPORTING ORGANIZATIONS

